

Bright Light Source for Testing Fiber Optic Cables

Model DXL10

Description

It is important to check fiber optic cables for continuity both on the roll and after installation. This visible LED light source connects to one end of a fiber optic cable and is bright enough to be easily seen at the other end, yet won't hurt your eyes. The signal can be set for either steady or unique flashing mode, which makes tracing cables easier in a crowded cabinet. The DXL10 easily connects to most 2.5mm ferrule F-O couplers - ST, SC, RSD, and FSD. Uses one 9 V battery (included).

Features

- Ultra high intensity red source LED (660nm, 1400mcd)
- Dual output - pulsed or steady light signal
- Multi-Use coupler accepts fiber connectors with 2.5mm ferrule
- Runs on one 9 V battery (included)

Specifications

- Power 9 V battery
- Dimensions 10.2 x 6.1 x 2.5 cm (4 x 2.4 x 1 inches)
- Weight 4.1 ounces



B&B Electronics -- January 1999

Phone: (815) 433-5100
Office Fax: (815) 434-5105
Tech Fax: (815) 433-5104
Sales Fax: (815) 433-5109

B & B electronics
MANUFACTURING COMPANY
707 Dayton Road -- P.O. Box 1040 -- Ottawa, IL 61350 USA

Home Page: www.bb-elec.com
E-mail: sales@bb-elec.com
support@bb-elec.com